

# Entry Station

Lane Entry Station



LE Station



# Entry Station

## Lane Entry Station



### BASE MODEL

Multilingual high contrast LCD display for user instructions (4x20 characters)

Ticket issuing unit for Magnetic stripe or Barcode tickets

Illuminated navigation to guide customers step-by-step through the entry process

Stainless steel cabinet

Standard color - Housing (RAL 9006 White Aluminium) plus side/front panels (RAL 7021 Black Grey)

Peripheral control unit

Power Supply

Heating and cooling units with separate thermostats

Intercom call button and loudspeaker

Ticket box holder for 5'000 tickets and collection bin

Individual security lock

Push button operation controls

### OPTIONS

10.4" color TFT display and touchscreen

Chip & PIN plus Wave & Pay terminals for Credit Card In/ Credit Card Out (country specific certification)

Range of contactless RFID proximity readers

Range of long range AVI readers

Customized side/front panel color

Customized housing and side/front panel colors

Sea/Ocean special protective treatment

Thermal paper receipt printer

Valiscan barcode scanner (1D or 2D options)

Base (standard: 60mm, increased height for Chip & PIN: 200mm)

Magnetic door lock & door open sensor options

Double height frame (truck and car)

**ZEAG Lane Entry Stations are designed for fast and smooth issuing of magnetic stripe or barcode tickets. Advanced thermal printing technology is used for clear text printing. The stations can operate as part of a networked system or alternatively stand-alone. Tickets can be automatically issued as the vehicle approaches the station or by touching a ticket issue button. The station also provides Contract Parking verification and securely handles credit cards.**

### STANDARD FEATURES

- Fast ticket issue (magnetic stripe or barcode tickets)
- Automatic issue as the vehicle approaches the station or, alternatively, by the user pressing a ticket button or inserting a card.
- Read after write and anti-pass back control
- Online operation (RS422/485 or TCP/IP) or standalone
- Contract, Season or Monthly parking using a wide range of media (magnetic cards, barcode, proximity, AVI, LPR)
- Accepts value cards for parking
- Event parking
- Credit Card In/Credit Card Out (subject to country specific certification)
- Chip & PIN plus Wave & Pay terminals (subject to country specific certification)
- PCI-DSS certified together with Parking Management System
- Retraction of alarm tickets and retention of invalid cards
- Barrier gate control
- Pre-booking and pre-payment
- Dual Rate - to allow issue of tickets with two different rates

### Dimensions

- Width: 460mm / 18,1"
- Height: 1360mm / 53,3" (including standard base)
- Height: 1500mm / 59,1" (including Chip & PIN base)
- Depth: 422mm / 16,6"
- Standard height base: 60mm / 2,4"
- Increased height base for Chip & PIN: 200mm / 7,9"
- Weight: 53 kg / 116 lbs approx (incl. standard base)

### Power

- 90 to 240 VAC, 47 to 63 Hz

### Power Consumption

- Regular load: 114 W
- With heating: 350 W

### Environment

- Ambient temperature: -20°C / -4 F to +50°C / 122 F



LE Station